

# Wetlands Bureau Decision Report

Decisions Taken  
02/27/2012 to 03/04/2012

Review by  
WZ 3/5/12

## **DISCLAIMER:**

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

## **APPEAL:**

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

## MAJOR IMPACT PROJECT

\*\*\*\*\*

**2011-02681                      FREEDOM, TOWN OF**  
**FREEDOM   Tributary To Berry Bay**

**Requested Action:**

Dredge and fill a total of 1,920 sq. ft. of wetland for the replacement of an existing 72 inch CMP culvert with a new 10 ft. wide x 6 ft. high x 45 ft. long precast concrete box culvert with concrete headwalls and wingwalls within the same general footprint under an existing roadway, replace an existing dry hydrant within the same footprint, and remove 390 sq. ft. of sand deposited upstream of the culvert.

\*\*\*\*\*

**APPROVE PERMIT:**

Dredge and fill a total of 1,920 sq. ft. of wetland for the replacement of an existing 72 inch CMP culvert with a new 10 ft. wide x 6 ft. high x 45 ft. long precast concrete box culvert with concrete headwalls and wingwalls within the same general footprint under an existing roadway, replace an existing dry hydrant within the same footprint, and remove 390 sq. ft. of sand deposited upstream of the culvert.

**With Conditions:**

1. All work shall be in accordance with revised plans by CMA Engineers, Inc. dated January 2012, as received by the NH Department of Environmental Services (DES) on January 18, 2012.
2. A NH certified wetland scientist shall supervise the removal of the sand bar located upstream of the culvert to insure that the work is accomplished pursuant to the approved plan.
3. Construction equipment shall not be located within DES jurisdictional areas to accomplish removal of the sand bar.
4. All exposed soil areas within the area described in #2 above shall be seeded with an appropriate wetland seed and mulched with a weed-free straw upon completion of work.
5. The NH certified wetland scientist shall submit a monitoring report to DES within 30 days to document completion of work described in #2 above. The report shall be submitted to DES with photographs demonstrating the conditions on the site, document erosion control deployment, include any necessary remedial actions, contain a schedule for completing the remedial actions and conducting follow up inspections if necessary.
6. DES Pease staff shall be notified in writing prior to commencement of work and upon its completion.
7. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
8. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
9. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
10. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
11. Temporary cofferdams shall be entirely removed immediately following construction.
12. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
13. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
14. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
15. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
16. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
17. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.

18. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
19. Silt fencing must be removed once the area is stabilized.
20. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
21. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
- Faulty equipment shall be repaired prior to entering jurisdictional areas.
22. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
23. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a major impact project per Administrative Rule 904.04 (a)(1), projects on a watercourse where a contributing watershed is 640 acres or greater. The contributing watershed is 1,840 acres.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the existing culvert is undersized and the roadway has flooded during major rain events.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant is proposing a box culvert with rounded stone within the culvert and at the inlet and outlet aprons which will mimic a natural stream bed, minimize the flooding of the existing roadway and minimize erosion and deposits of sediment to downstream locations.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project. Natural Heritage Bureau has no record of sensitive species within the vicinity of this project.
5. This project qualifies as a Tier 3 Stream Crossing and the applicant has designed the stream crossing in accordance with Env-Wt 904.04 which has a watershed of greater than 200 acres and less than 640 acres. The proposed box culvert has been designed with a rounded river stone bottom to mimic a natural stream bed, will not adversely impact the stability of the stream banks or stream bed upstream or downstream of the crossing by installing inlet and outlet protection, and not cause an increase in the frequency of flooding or overtopping of banks by meeting the 100-year frequency flood.
6. The applicant's agent submitted a written request for an alternative design in accordance with Env-Wt 904.09 due to the some parameters of Env-Wt 904.05 that were unable to be met by the applicant for this project. DES approves of the request for the alternative design.
7. The applicant has obtained abutter written authorization letters for permission to enter property outside of the town right-of-way to install inlet and outlet protection, temporary water diversion, and installation of temporary sediment and erosion control measures.
8. Mitigation is not required per rule Env-Wt 302.03(b)(2) as the project protects existing infrastructure.
9. The Town of Freedom Conservation Commission did not comment on the application.

2011-03222                      NH DEPT OF TRANSPORTATION  
FRANCESTOWN   Beaver Dam Brook

Requested Action:

Remove a 6 ft. wide x 21 ft. long metal culvert and replace with a 9 ft. wide concrete slab on new abutments to match into the upstream 9 ft. bridge and add new wingwalls impacting 1,280 sq. ft. (1,003 sq. ft. temporary) of riverine wetlands.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Cons. Comm. - no comments

APPROVE PERMIT:

Remove a 6 ft. wide x 21 ft. long metal culvert and replace with a 9 ft. wide concrete slab on new abutments to match into the upstream 9 ft. bridge and add new wingwalls impacting 1,280 sq. ft. (1,003 sq. ft. temporary) of riverine wetlands. NHDOT project #16433.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Maintenance dated 12/1/11, as received by the Department on Dec. 28, 2011.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Matting and pinning shall stabilize slopes steeper than 3:1.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction December 2008).
14. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
15. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
16. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.

With Findings:

1. This is a major project per Administrative Rule Env-Wt 302.02(p), any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that the project, as approved and conditioned, is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The proposed work will provide increased safety to the general public as it will replace the portion of the stream crossing structure that is deteriorated under the road.
5. Watercourse connectivity will be improved as the design meets the general criteria under rule Env-Wt 904.01, addresses the requirements for an alternative design per rule Env-Wt 904.09 and meets the purpose of the stream rules as stated in Env-Wt 901.01.
6. No concerns have been expressed in the file.
7. A public hearing is not required as the project impacts will not significantly impair the resources of this riverine wetland ecosystem and these areas of a substantial public interest as defined per Administrative Rule Env-Wt 101.96.

2012-00215

LEACH, JAY/KATHRYN

ALTON Lake Winnepesaukee

Requested Action:

Fill 775 sq ft to construct 45 linear ft of breakwater, in an "dogleg" configuration, maintaining a 6 ft gap at the shoreline. Construct a 4 ft x 56 ft pier to be cantilevered off the aforementioned breakwater. Construct a 6 ft x 30 ft piling supported wharf. Drive 2 tie off piles between the provided slips. Install a 14 ft x 30 ft seasonal canopy over one slip. Dredge approximately 160 sq feet of abandoned jetty from the waterbody. All work to occur on an average of 118 ft of frontage along Lake Winnepesaukee, in Alton.

\*\*\*\*\*

Conservation Commission/Staff Comments:

No comments by Con Com by February 28, 2012

APPROVE PERMIT:

Fill 775 sq ft to construct 45 linear ft of breakwater, in an "dogleg" configuration, maintaining a 6 ft gap at the shoreline. Construct a 4 ft x 56 ft pier to be cantilevered off the aforementioned breakwater. Construct a 6 ft x 30 ft piling supported wharf. Drive 2 tie off piles between the provided slips. Install a 14 ft x 30 ft seasonal canopy over one slip. Dredge approximately 160 sq feet of abandoned jetty from the waterbody. All work to occur on an average of 118 ft of frontage along Lake Winnepesaukee, in Alton.

With Conditions:

1. All work shall be in accordance with plans by Ambrose Marine Construction dated January 17, 2012, as received by the Department on February 01, 2012.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
5. These shall be the only structures on this water frontage.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. No portion of breakwater as measured at normal full lake shall extend more than 50 feet from normal full lake shoreline.
8. The breakwater shall not exceed 3 feet in height(Elev. 507.32) over the normal high water line(Elev. 504.32).
9. The width as measured at the top of the breakwater(Elev. 507.32) shall not exceed 3 feet.
10. Rocks may not remained stockpiled on the frontage for a period longer than 60 days.
11. Photos showing that all construction materials have been removed from the temporary stockpile area shall be submitted to the Bureau upon completion of the docking facility.
12. This facility is permitted with the condition that future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.
13. The owner understands and accepts the risk that if this facility requires dredging to maintain a minimum slip depth of 3 feet, more frequently than once every 6 years, or is shown to have an adverse impact on abutting frontages, it shall be subject to removal.
14. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
15. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, per RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a major project per Rule Env-Wt 303.02(j), construction of a breakwater.
2. The construction of a breakwater to provide safe docking at this site is justified in accordance with Rule Env-Wt 402.07, Breakwaters.

3. The applicant has an average of 118 feet of frontage along Lake Winnepesaukee, Alton.
4. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
5. The proposed docking facility will provide 2 slips as defined per RSA 482-A and therefore meets Rule Wt 402.13.
6. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on, or adversely affect the values of, the Lake Winnepesaukee, as identified under RSA 482-A:1.
7. The abutter provided a signed notarized letter granting permission for the breakwater to be located within the 20 foot setback to the property line and the imaginary extension of that line over the water.

-Send to Governor and Executive Council-

#### MINOR IMPACT PROJECT

\*\*\*\*\*

**2011-02257                      HOLTSBERG, MAE**  
**ALTON   Lake Winnepesaukee**

**Requested Action:**

Install a 6 ft x 30 ft permanent piling dock with a three piling ice and two fender pilings on DOT property on Lake Winnepesaukee, Alton.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Con Com has no concerns

**DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:**

Install a 6 ft x 30 ft permanent piling dock with a three piling ice and two fender pilings on DOT property on Lake Winnepesaukee, Alton.

**With Findings:**

1. A request for additional information dated October 04, 2011, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

**2011-02981                      NH DEPT OF TRANSPORTATION**  
**ANDOVER   Mitchell Brook**

**Requested Action:**

Replace a 48 in. culvert with a 14 ft. x 8 ft. box culvert lined with 2 ft. deep of natural channel material impacting 5,783 sq. ft. (2,324 sq. ft. temporary) of riverine and palustrine wetlands.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Cons. Comm. - no comment

APPROVE PERMIT:

Replace a 48 in. culvert with a 14 ft. x 8 ft. box culvert lined with 2 ft. deep of natural channel material impacting 5,783 sq. ft. (2,324 sq. ft. temporary) of riverine and palustrine wetlands. NHDOT project #14679A

With Conditions:

1. All work shall be in accordance with:
  - a. Plans by NHDOT Bureau of Highway Design dated 11/30/2011, as received by the Department on Nov. 30, 2011 and
  - b. Box culvert detail plan by NHDOT Bureau of Bridge Design dated 9/14/2011(sheet 21 of 33), as received by the Department on Nov. 22, 2011.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the stream, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. Silt fencing shall not be installed across a flowing stream.
17. This permit is contingent upon the submission of a notice to start construction to the DES Wetlands Bureau file at least 5 days in advance.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(I), alteration of less than 200 linear feet of stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. Plan sheet 1 of 5 does not have a corrected "Delineated Wetland" line and the corrected lines are shown on sheet 4 of 5 dated 11/30/2011 received on Nov. 30, 2011.
6. The project was discussed at the monthly Natural Resource Agency (NRA) meetings held at the NH Dept. of Transportation on

three occasions in 2008 and on March 16, 2011 to coordinate the project.

7. Preliminary design from 2008 was based on the understanding of the stream bank full width as 9.5 feet and further plan design was advanced prior to the adoption of the current stream rules. Since the plans include additional comments provided over three years at the NRA meetings, the DES has determined the applicant has met the intent of the current stream rules to include a more natural corridor by restoring the watercourse connectivity.

8. Information from the Natural Heritage Bureau indicates that although there was a record in the vicinity it is not expected to be impacted by the project.

**2011-03242                      KENNEDY, BROOKS/MARY**  
**NEW CASTLE   Upland Tidal Buffer Zone**

**Requested Action:**

Impact 590 sq. ft. within the previously developed upland tidal buffer zone to construct a total of 60 linear feet of dry laid (no concrete or mortar) stone wall and remove the invasive glossy buckthorn vegetation adjacent to a fringe tidal marsh along the shoreline frontage.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

The New Castle Conservation Commission reported: "We have no comments or issues with this project. Thanks for your email. I really appreciate you reaching out to us." Bill Stewart

Inspection Date: 01/12/2012 by Frank D Richardson

**APPROVE PERMIT:**

Impact 590 sq. ft. within the previously developed upland tidal buffer zone to construct a total of 60 linear feet of dry laid (no concrete or mortar) stone wall and remove the invasive glossy buckthorn vegetation adjacent to a fringe tidal marsh along the shoreline frontage.

**With Conditions:**

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated November 2011 (last revised 12/27/11), as received by the NH Department of Environmental Services (DES) on December 30, 2011.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the New Castle Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

**With Findings:**

1. This is a minor impact project per Administrative Rule Env-Wt 303.03 (a)&(b), projects that involve work within 50 feet of a salt marsh that do not meet the criteria of Env-Wt 303.02.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on January 12, 2012. Field inspection determined the dry laid stone wall proposed will have no impact on the adjacent salt marsh. Removal of the invasive glossy buckthorn is recommended.



**2012-00269                      ALTON HIGHWAY DEPT, TOWN OF  
ALTON    Unnamed Stream**

**Requested Action:**

Dredge and fill 689 sq. ft. (168 linear feet) of previously impacted forested wetlands and associated intermittent stream for roadway and drainage improvements.

\*\*\*\*\*

**APPROVE PERMIT:**

Dredge and fill 689 sq. ft. (168 linear feet) of previously impacted forested wetlands and associated intermittent stream for roadway and drainage improvements.

**With Conditions:**

1. All work shall be in accordance with plans Pohopek Land Surveyors & Septic Design, LLC revision date of January 10, 2012 and January 23, 2012 and narratives by Stoney Ridge Environmental, LLC., dated January 2012, as received by the NH Department of Environmental Services (DES) on February 6, 2012.
2. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
8. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

**With Findings:**

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The majority of the proposed impact consists of work within a previously disturbed wetland/roadway side slope.
6. The proposed work should provide a stable roadway embankment and drainage area.
7. The proposed work is within the Town's right-of-way.

## MINIMUM IMPACT PROJECT

\*\*\*\*\*

2011-03049

MORRELL CORPORATION

BARTLETT

### Requested Action:

Dredge and fill 700 square feet of an intermittent stream for the installation of a 36" culvert and retaining wall to allow access and the widening of an unsafe curve in an existing road. In addition, 50 square feet of wetlands that were previously impacted without a permit will be restored by removing fill and planting wetland vegetation.

\*\*\*\*\*

### APPROVE PERMIT:

Dredge and fill 700 square feet of an intermittent stream for the installation of a 36" culvert and retaining wall to allow access and the widening of an unsafe curve in an existing road. In addition, 50 square feet of wetlands that were previously impacted without a permit will be restored by removing fill and planting wetland vegetation.

### With Conditions:

1. All work shall be done in accordance with plans by Fernstone Associates for the Natural Resources entitled Proposed Road Safety Improvements at Storyland Design Shop dated October 04, 2011, revised February 10, 2012 Drainage Culvert Goodbout Road as received by the Department on February 13, 2012.
2. Work shall be done during periods of non-flow.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and remain until the area is stabilized. Silt fencing must be removed once the area is stabilized.
4. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
5. No equipment shall enter the water.
6. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
7. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
8. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
11. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

### With Findings:

1. This is a Minimum Impact Project per Env-Wt 303.04 (n) Any project not otherwise specified in this section that alters the course of or disturbs less than 50 linear feet, measured along the thread of the channel, of an intermittent nontidal stream channel or its banks provided construction is performed during periods of non-flow;
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04 Requirements for

Application Evaluation, has been considered in the design of the project.

5. The applicant stated that the road needs to be straightened for safety reasons since the existing curve in the road has led to several near misses/potential accidents.
6. A licensed professional engineer indicated that the new structure will pass the 50-year storm event.
7. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2011-03178

EVE GARDNER ET AL

TUFTONBORO

Requested Action:

Dredge and fill 414 sq. ft. of wetland to construct a foundation under an existing cottage within the same footprint. Temporarily impact 1,258 sq. ft. of wetland to install a new pumpline to be connected to a new septic system constructed in the upland.

\*\*\*\*\*

APPROVE PERMIT:

Dredge and fill 414 sq. ft. of wetland to construct a foundation under an existing cottage within the same footprint. Temporarily impact 1,258 sq. ft. of wetland to install a new pumpline to be connected to a new septic system constructed in the upland.

With Conditions:

1. All work shall be in accordance with revised plans by Fernstone Associates dated February 10, 2012, as received by the NH Department of Environmental Services (DES) on February 13, 2012.
2. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
3. The temporary impact area shall be regraded to original contours following completion of work, seeded with a wetland seed mix, and mulched with a weed-free straw.
4. A NH certified wetland scientist shall supervise the temporary wetland impact construction and submit a monitoring report with photographs to DES within 30 days of the completion of work. The monitoring report shall include, but not be limited to, documentation of erosion control deployment, construction sequencing, work activities and status of temporary impact area at the time of the monitoring report. Photographs should depict all stages of work sequencing.
5. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. This permit is contingent upon approval by the DES Shoreland Program.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet in swamps and wet meadows.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impacts are necessary to move an existing septic system from a wetland to an upland location and stabilize an existing dwelling within the existing footprint.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the wetland impact for the pumpline to the new septic system is temporary and will be restored to its original condition. Further, the applicant has

demonstrated that the dwelling needs to be stabilized with the construction of a new frost wall foundation.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau (NHB) has no record of a rare wildlife, plant, and/or natural community present within the vicinity of the project area.
5. Shoreland Permit #2011-3135 was approved on December 30, 2011 for the proposed work.
6. The Tuftonboro Conservation Commission did not submit comments to DES.

**2012-00214 CUNNINGHAM, DENISE/WILLIAM**  
**GILFORD Lake Winnepesaukee**

**Requested Action:**

Permanently remove an existing seasonal docking structure, install a 6 ft x 40 ft seasonal docking structure attached to a 4 ft x 7 ft concrete anchor pad, a seasonal boatlift in the easterly slip, a 14 ft x 30 ft seasonal canopy, and 2 seasonal personal watercraft lifts adjacent to the docking structure on an average of 100 feet of shoreline frontage along Lake Winnepesaukee, in Gilford.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

No comments from Con Com by Feb 28, 2012

**APPROVE PERMIT:**

Permanently remove an existing seasonal docking structure, install a 6 ft x 40 ft seasonal docking structure attached to a 4 ft x 7 ft concrete anchor pad, a seasonal boatlift in the easterly slip, a 14 ft x 30 ft seasonal canopy, and 2 seasonal personal watercraft lifts adjacent to the docking structure on an average of 100 feet of shoreline frontage along Lake Winnepesaukee, in Gilford.

**With Conditions:**

1. All work shall be in accordance with plans by Watermark Marine Construction dated January 24, 2012, as received by the NH Department of Environmental Services (DES) on February 1, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The existing docking structure shall be completely and permanently removed from the waterbody prior to the construction of the new docking system.
4. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal pier and lifts shall be removed from the lake for the non-boating season.
6. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
7. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
8. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. The concrete pad shall be located entirely above full lake elevation and behind the natural undisturbed shoreline.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

**With Findings:**

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), construction or modification of a seasonal docking structure.

**FORESTRY NOTIFICATION**

\*\*\*\*\*

**2012-00382                      BOHI, JOSEPH**  
**LOUDON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Loudon Tax Map 12, Lot# 4

**2012-00383                      LEAVITT JR, RAYMOND/ELIZABETH**  
**CENTER CONWAY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Ctr Conway Tax Map 259, Lot# 21

**2012-00385                      CHANCEY, FREDERICK/SYLVA**  
**NEW BOSTON   Unnamed Stream**

COMPLETE NOTIFICATION:  
New Boston Tax Map 9, Lot# 23

**2012-00400                      JOHNSON, DONALD**  
**CHOCORUA   Unnamed Stream**

COMPLETE NOTIFICATION:  
Tamworth Tax Map 218, Lot# 37

**2012-00401                      VAN BLARCOM, EDWARD**  
**TROY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Troy Tax Map 11, Lot# 5

**2012-00411                      KALLMERTAN, DAN**  
**SALISBURY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Salisbury Tax Map 240, Lot# 29

**2012-00412                      BREUNINGER, JUDITH**  
**WOLFEBORO   Unnamed Stream**

COMPLETE NOTIFICATION:  
Wolfeboro Tax Map 127, Lot# 1

**2012-00414                    DONAHUE, MICHAEL**  
**MARLBOROUGH   Unnamed Stream**

COMPLETE NOTIFICATION:  
Moarlborough Tax Map 1, Lot# 11

**2012-00419                    SPNHF**  
**BOSCAWEN   Unnamed Stream**

COMPLETE NOTIFICATION:  
Boscawen Tax MAp 49, LOt# 23-1

**2012-00437                    HIGBEE, CAROL LEE**  
**ENFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Enfield Tax Map 9, Lot# 11

**2012-00438                    POITRAS, EVERETT/PATRICIA**  
**ENFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Enfield Tax Map 9, Lot# 40

**2012-00439                    PERETTI, MARGARET**  
**ENFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Enfield Tax Map 9, Lot# 73

**2012-00442                    VOLPE, H THOMAS**  
**LACONIA   Unnamed Stream**

COMPLETE NOTIFICATION:  
Laconia Tax Map/Lot# 248/2,3 & 274/2

**2012-00446                    HOLLIS CONSERVATION COMMISSION**  
**HOLLIS   Unnamed Stream**

COMPLETE NOTIFICATION:  
Hollis Tax Map/Lot# 36/15 & 42/35

**EXPEDITED MINIMUM**

\*\*\*\*\*

**2011-02351                      COLLINS, DAVID**  
**NEW DURHAM   Merrymeeting Lake**

Requested Action:

Replenish two areas of beach on Merrymeeting Lake, New Durham.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con Com signed Exp Application

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Replenish two areas of beach on Merrymeeting Lake, New Durham.

With Findings:

1. A request for additional information dated November 28, 2011, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

**2011-02831                      SALEM, TOWN OF**  
**SALEM   Unnamed Wetland Spicket River**

Requested Action:

Dredge and Fill a total 1,350 square feet of palustrine forested wetland to include 1,140 square feet of temporary impact and 210 square feet of permanent impact for the reconstruction of Town Farm Road to improve the drainage system and provide safe vehicular passage.

\*\*\*\*\*

Conservation Commission/Staff Comments:

See findings.

APPROVE PERMIT:

Dredge and Fill a total 1,350 square feet of palustrine forested wetland to include 1,140 square feet of temporary impact and 210 square feet of permanent impact for the reconstruction of Town Farm Road to improve the drainage system and provide safe vehicular passage.

With Conditions:

1. All work shall be in accordance with plans by Stantec Consulting Services, Inc. dated 9/30/2011, as received by the NH Department of Environmental Services (DES) on November 7, 2011.
2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
3. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.

4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
5. No fill shall be done for lot development.
6. Work shall be done during seasonal low flow conditions.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

**With Findings:**

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet of forested wetland.
2. The Town of Salem must maintain and provide safe access for all citizens; therefore, the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The impacts are the least impacting and are mostly temporary; therefore, the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The Town of Salem received written permission from the abutters of Salem Tax Map 59 Lots 7030 and 7039 for impacts on and/or adjacent to those abutter's properties.

**2012-00266                      HANSEN PROPERTIES LLC, MICHAEL  
SPRINGFIELD   Unnamed Wetland**

**Requested Action:**

Dredge and fill approximately 350 square feet of wetlands to upgrade an existing trail for access to rear of lot. Work in jurisdiction includes the replacement of a 12" diameter, 14' long culvert with 18" diameter, 38' long culvert.

\*\*\*\*\*

**APPROVE PERMIT:**

Dredge and fill approximately 350 square feet of wetlands to upgrade an existing trail for access to rear of lot. Work in jurisdiction includes the replacement of a 12" diameter, 14' long culvert with 18" diameter, 38' long culvert.

**With Conditions:**

1. All work shall be done in accordance with plans by RCS Designs dated November 28, 2011 as received by the Department on February 15, 2012.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and remain until the area is stabilized. Silt fencing must be removed once the area is stabilized.
3. Dredged material shall be placed out of any area that is within the jurisdiction of the DES Wetlands Bureau.
4. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
5. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
6. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized



within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

8. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

**With Findings:**

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.
5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
6. The applicant provided written permission from the owner of property located at Town of Springfield Tax Map 3 Lot 551, 523 waiving the NH Wetlands Bureau requirement of maintaining a 20 foot setback.

**2012-00285**

**ANDREWS TRUST, DAVID/LISA**

**SUNAPEE Lake Sunapee**

**Requested Action:**

Repair an existing 16 ft x 24 ft 6 in dock supported by two 8 ft x 16 ft cribs connected to a 6 ft x 13 ft 6 in dock supported by a 6 ft x 8 ft crib with an attached 7 ft 6 in x 16 ft shed over the bank on Lake Sunapee, Sunapee.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

Con Com signed Exp application

**APPROVE PERMIT:**

Repair an existing 16 ft x 24 ft 6 in dock supported by two 8 ft x 16 ft cribs connected to a 6 ft x 13 ft 6 in dock supported by a 6 ft x 8 ft crib with an attached 7 ft 6 in x 16 ft shed over the bank on Lake Sunapee, Sunapee.

**With Conditions:**

1. All work shall be in accordance with plans by Richard Green, as received by the NH Department of Environmental Services (DES) on February 08, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when

considered with the original application are not classified as minor or major.

10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

**2012-00303                      BICKFORD, KENNETH/LAUREN**  
**MOULTONBOROUGH   Lake Winnepesaukee**

Requested Action:

Repair 95 linear feet of retaining wall in kind, construct 150 sq ft of perched beach with less than 10 cubic yards of sand and 6 ft wide access steps to the waterbody, stabilize 12 linear feet of shoreline adjacent to the docking structure, on Lake Winnepesaukee, Moultonborough.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE PERMIT:

Repair 95 linear feet of retaining wall in kind, construct 150 sq ft of perched beach with less than 10 cubic yards of sand and 6 ft wide access steps to the waterbody, stabilize 12 linear feet of shoreline adjacent to the docking structure, on Lake Winnepesaukee, Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by John Stevens dated November 11, 2012, as received by the NH Department of Environmental Services (DES) on February 10, 2012.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
3. Repair shall maintain existing size, location and configuration.
4. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
5. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
6. The steps installed for access to the water shall be located completely landward of the normal high water line.
7. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
8. This permit shall be used only once, and does not allow for annual beach replenishment.
9. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
10. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), construction of a beach.

**GOLD DREDGE**

\*\*\*\*\*

**2012-00436                      LIESENDAHL, GARY**  
**(ALL TOWNS)   Unnamed Stream**

Conservation Commission/Staff Comments:  
cc Bath ConCom

**2012-00445                      HEATH, DANNY**  
**(ALL TOWNS)   Unnamed Stream**

Conservation Commission/Staff Comments:  
cc Bath ConCom

**2012-00461                      HEATH, MICHAEL**  
**(ALL TOWNS)   Unnamed Stream**

**2012-00463                      HUBNER JR, PAUL**  
**(ALL TOWNS)   Unnamed Stream**

**2012-00504                      SOTIR, GARY**  
**(ALL TOWNS)   Unnamed Stream**

Conservation Commission/Staff Comments:  
cc Bath ConCom

**LAKES-SEASONAL DOCK NOTIF**

\*\*\*\*\*

**2012-00444                      LUNDSKOG, ROGER**  
**BRISTOL   Newfound Lake**

COMPLETE NOTIFICATION:  
Bristol Tax Map 110, Lot# 8 Newfound Lake

**2012-00464                      SHEPARD, DIANE**  
**SANBORNVILLE   Lovell Lake**

COMPLETE NOTIFICATION:  
Installation of a seasonal docking structure

**2012-00475**                      **CONVERSE, JULIE**  
**BRISTOL**   **Newfound Lake**

COMPLETE NOTIFICATION:  
Bristol Tax Map 108, Lot# 101 Newfound Lake

**2012-00477**                      **BRITTON JR, RAYMOND**  
**WASHINGTON**   **Washington Pond**

COMPLETE NOTIFICATION:  
Washington Tax Map 14, Lot# 441 Washington Pond

#### ROADWAY MAINTENANCE NOTIF

\*\*\*\*\*

**2012-00502**                      **ALTON HIGHWAY DEPT, TOWN OF**  
**ALTON**   **Unnamed Wetland**

COMPLETE NOTIFICATION:  
Replace 12" culvert in kind

#### PERMIT BY NOTIFICATION

\*\*\*\*\*

**2012-00455**                      **PINE CLIFF ASSOCIATION, JOHN DONAHUE**  
**NEWBURY**   **Lake Sunapee**

Requested Action:  
Repair of existing docking structures with no change in size, location or configuration.  
\*\*\*\*\*

Conservation Commission/Staff Comments:  
Con Com signed PBN form

PBN IS COMPLETE:  
Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

**2012-00456**                      **MONTGOMERY, JOHN/KRISTEN**  
**WEARE Lake Horace**

Requested Action:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

With Findings:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

**CSPA PERMIT**

\*\*\*\*\*

**2010-00259**                      **FODEN, PAUL**  
**WINDHAM Cobbetts Pond**

Requested Action:

Request name change to: Maria Giakoumakis &  
Paul Foden 17 Armstrong Road Windham NH 03087  
per request received 02/21/2012. Previous owner: Dennis and Sharon Rogers.

\*\*\*\*\*

APPROVE NAME CHANGE:

Change name to: Maria Giakoumakis & Paul Foden 17 Armstrong Road Windham NH 03087 on the permit  
to:

Impact 7,194 sq ft for the purpose of constructing a new residential dwelling and associated accessory structures and installing a new septic system.

With Conditions:

1. All work shall be in accordance with plans by Edward N. Herbert Association., dated January, 2010 and received by the Department of Environmental Services ("DES") on February 16, 2010 and revised planting plans dated January, 2010, and received by the Department of Environmental Services ("DES") on March 25, 2010.
2. This permit is contingent upon receiving all necessary approvals from the DES Subsurface Systems Bureau.
3. No more than 24.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

4. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
6. In order to remain compliant with RSA 483-B:9, V, (b), (2), there shall be no impacts to existing native vegetation between 50 feet and 150 feet from the reference line.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Silt fencing must be removed once the area is stabilized.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02.

**2012-00038                      PENNELL, PAUL**  
**NASHUA   Merrimack River**

Requested Action:

Impact 13,216 sq ft for regrading associated with the removal of an existing tennis court and site work for a new residential primary structure.

\*\*\*\*\*

APPROVE PERMIT:

Impact 13,216 sq ft for regrading associated with the removal of an existing tennis court and site work for a new residential primary structure.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc., dated December 28, 2011 and received by the Department of Environmental Services ("DES") on January 6, 2012.
2. No additional structures shall be constructed within the protected shoreland unless additional approval is obtained from DES.
3. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
4. In order to remain compliant with RSA 483-B:9, V, (b), (2), the 173 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans received by DES must remain in an unaltered state.
5. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

13. Silt fencing must be removed once the area is stabilized.

**2012-00366                      DEVELIS, JOSEPH**  
**ALTON   Lake Winnepesaukee**

**Requested Action:**

Impact 50 sq ft to reclaim land alleged to have been previously dredged.

\*\*\*\*\*

**DENY PERMIT:**

Impact 50 sq ft to reclaim land alleged to have been previously dredged.

**With Findings:**

Standards for Approval

1. Pursuant to RSA 483-B:3, Consistency Required, "State and local permits shall be issued only when consistent with the policies of this chapter."
2. Pursuant to RSA 483-B:3, Consistency Required, II, When the standards and practices established in this chapter conflict with other local or state laws and rules, the more stringent standard shall control.
3. Pursuant to RSA 483-B:6, Other Required Permits and Approvals, I, (b) any person intending to construct a water-dependent structure, alter the bank, or construct or replenish a beach within the protected shoreland, shall obtain approval and all necessary permits pursuant to RSA 482-A.
4. Pursuant to Rule Env-Wt 101.07, "Bank" means the transitional slope immediately adjacent to the edge of a surface water body, the upper limit of which is usually defined by a break in slope, or, for a wetland, where a line delineated in accordance with Env-Wt 301.01 indicates a change from wetland to upland.

**Finding of Fact**

1. The Applicant is the owner of a lot that is approximately 0.79 acres in size located within the protected shoreland of Lake Winnepesaukee more particularly identified as Alton tax map 80, lot 3 (the "Property").
2. On February 23, 2012 the Department of Environmental Services received an application to impact 50 square feet of the protected shorelands to reclaim land alleged to have been dredged by a previous property owner. The land would be reclaimed by placing rock, backfilling, and vegetating the filled area.
3. The plans submitted fail to identify the top of the bank and the limits of wetlands jurisdiction as established by RSA 482-A.
4. Review of photographs submitted with this application as well as previously filed Wetlands applications for this property found that the areas to be impacted were located between the reference line and the top of bank. The proposed impacts require a Wetlands Permit pursuant to RSA 482-A.

**Ruling in Support of the Decision**

1. The proposed impacts are located within the jurisdiction of the Wetlands Bureau and will require a Wetlands Permit per RSA 482-A

2. The proposed project will impact areas having a slope greater than 25% slope and, therefore is prohibited pursuant to Rule Env-Wq 1405.05.
3. The issuance of a permit to place fill within the waterfront buffer of this property would not be consistent with the intent and purpose of the RSA 483-B and, therefore, is prohibited by RSA 483-B:3, Consistency Required.
4. The standards established under RSA 482-A for the placement of fill within the bank and public waters are stricter than those established under RSA 483-B for the placement of fill within the waterfront buffer. Pursuant to RSA 483-B:3, Consistency Required, II, the standards for filling established under RSA 482-A shall control.

**2012-00371                      TURNER, DAVID/LAUREN**  
**WINDHAM   Cobbetts Pond**

Requested Action:

Impact 1,400 sq ft for the purpose of constructing a new on-site septic system.

\*\*\*\*\*

APPROVE PERMIT:

Impact 1,400 sq ft for the purpose of constructing a new on-site septic system.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering Inc. dated February 10, 2012 and received by the NH Department of Environmental Services (DES) on February 17, 2012.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 49.53% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 126 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2012-00376                      GREAT CAMP REALTY LLC**  
**MEREDITH   Lake Winnepesaukee**

Requested Action:

Impact 1,888 ft (1,389 permanent impacts) for the purpose of expanding a gravel driveway and parking area, constructing several retaining walls, and restoring/re-vegetating 368 sq ft of existing driveway with native vegetation species.

\*\*\*\*\*

APPROVE PERMIT:

Impact 1,888 ft (1,389 permanent impacts) for the purpose of expanding a gravel driveway and parking area, constructing several retaining walls, and restoring/re-vegetating 368 sq ft of existing driveway with native vegetation species.



With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants LLC dated February 2, 2012 and received by the NH Department of Environmental Services (DES) on February 21, 2012.
2. No more than 14.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 3,236 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2012-00406                      WHITE PINES TRUST**  
**MOULTONBOROUGH   Lake Winnepesaukee**

Requested Action:

Impact 2592 sq ft to construct a new section of driveway for access to the abutting lot.

\*\*\*\*\*

APPROVE PERMIT:

Impact 2592 sq ft to construct a new section of driveway for access to the abutting lot.

With Conditions:

1. All work shall be in accordance with plans by Advanced Land Surveying Consultants dated January 24, 2012 and received by the NH Department of Environmental Services (DES) on February 23, 2012.
2. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 3,818 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**CSPA PERMIT W/WAIVER**

\*\*\*\*\*

**2012-00168                      PASS, VIRGINIA**  
**WOLFEBORO   Lake Wentworth**

**Requested Action:**

Impact 1,432 sq ft for the purpose of installing a foundation beneath an existing non-conforming structure, constructing an addition beyond the 50 ft waterfront buffer, reducing the driveway footprint and constructing a retaining wall, constructing a new onsite septic system, and implementing a stormwater management plan.

\*\*\*\*\*

**APPROVE CSPA WAIVER:**

Impact 1,432 sq ft for the purpose of installing a foundation beneath an existing non-conforming structure, constructing an addition beyond the 50 ft waterfront buffer, reducing the driveway footprint and constructing a retaining wall, constructing a new onsite septic system, and implementing a stormwater management plan.

**WAIVER APPROVED:** RSA 483-B:9, V, (b), (2)(A), is waived to allow for a decrease in the natural woodland area to remain in an unaltered state below the required 25%.

**With Conditions:**

1. All work shall be in accordance with plans by Fernstone Association for the Natural Resources dated January 17, 2012 and received by the NH Department of Environmental Services (DES) on January 25, 2012.
2. This approval includes a waiver of RSA 483-B:9, V, (b), (2)(A) and, therefore, shall not be effective until it has been recorded at the Carroll County Registry of Deeds and a copy of the recorded waiver is sent to the department by certified mail, return receipt requested.
3. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.
4. No more than 39.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. At least 1,000 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**With Findings:**

1. In accordance with RSA 483-B:9, V, (i) The commissioner shall have the authority to grant waivers from the minimum standards of this section. Such authority shall be exercised if the commissioner deems that strict compliance with the minimum standards of this section will provide no material benefit to the public and have no material adverse effect on the environment or the natural resources of the state.
2. The project as proposed includes the installation of a new onsite septic system within the protected shoreland. To accommodate construction of the new system and comply with NH DES Subsurface regulations, the project will result in a 95 sq ft decrease in area

currently existing in an unaltered state.

3. The strict compliance with the minimum standards of this section will not provide material benefit to the public and will have no material adverse effect on the environment or the natural resources of the state and therefore, the requirements for a waiver to RSA 483-B:9, V, b have been met.
4. The existing non-conforming structure is located within the 50 ft primary building setback to Lake Wentworth and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II (b), of the CSPA.
5. In accordance with RSA 483-B:11, I, nonconforming primary structures may be altered or expanded provided the structure is not expanded closer to public waters and the proposal or property is made more nearly conforming than the existing structure or the existing conditions of the property.
6. The applicant has proposed to install stormwater controls consisting of infiltration trenches below the drip-edges of the proposed structure.
7. The applicant has proposed to install a new NH DES Subsurface Bureau approved wastewater treatment system.
8. The applicant has proposed to install stormwater controls and install a new septic system, and therefore, is more nearly conforming in accordance with RSA 483-B:11, I.

#### UTILITY NOTIFICATION

\*\*\*\*\*

**2012-00448                      PSNH**  
**KENSINGTON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00462                      PSNH**  
**KINGSTON   Unnamed Stream Unamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative Maintenance

**2012-00465                      PSNH**  
**MADISON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative Maintenance

**2012-00466                      PSNH**  
**MANCHESTER   Unnamed Stream Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00468                      PSNH**  
**MARLBOROUGH   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00469                      PSNH**  
**MASON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00470                      PSNH**  
**MERRIMACK   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00471                      NELSON, KURT**  
**LACONIA   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00472                      PSNH**  
**MILAN   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00473                      PSNH**  
**MILFORD   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00476                      NELSON, KURT**  
**LANCASTER   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00478                      NELSON, KURT**  
**LEE   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00480                      NELSON, KURT**  
**LINCOLN   Unnamed Stream Unnamed Wetland**

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00482                      NELSON, KURT**  
**LITCHFIELD   Unnamed Stream Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance.

**2012-00484**

**PSNH**

**NASHUA Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00485**

**NELSON, KURT**

**LITTLETON Unnamed Stream Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance.

**2012-00486**

**PSNH**

**NELSON Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00487**

**NELSON, KURT**

**LONDONDERRY Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount,

COMPLETE NOTIFICATION:

Vegetative maintenance.

**2012-00488**

**PSNH**

**NEW BOSTON Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00489                      PSNH**  
**NEW HAMPTON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00490                      PSNH**  
**NEW IPSWICH   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00492                      NELSON, KURT**  
**MADBURY   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00493                      NELSON, KURT**  
**NEW LONDON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00494                      MINEROWICZ, EDWARD**  
**NEWMARKET   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for the fee amount.  
This was not part of the original December 13 submittals

COMPLETE NOTIFICATION:

Vegetative maintenance.

**2012-00495                      NELSON, KURT**  
**NEWINGTON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00496                      NELSON, KURT**  
**NEWPORT   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance.

**2012-00498                      PSNH**  
**NORTH HAMPTON   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
Notification dated 02/09/12 was not part of the original 12/13/11 submittal

See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Vegetative maintenance

**2012-00499                      PSNH**  
**NORTH HAVERHILL   Unnamed Stream**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount

COMPLETE NOTIFICATION:  
Replacement of a failed electrical cable buried under an intermittent stream

**2012-00500                      PSNH**  
**NORTHFIELD   Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:  
See file 12-192 for fee amount



COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00501**

**PSNH**

**NORTHWOOD Unnamed Stream Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00505**

**PSNH**

**NOTTINGHAM Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00506**

**PSNH**

**NORTHUMBERLAND Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00509**

**PSNH**

**PELHAM Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**2012-00510**

**PSNH**

**PEMBROKE Unnamed Stream Unnamed Wetlands**

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

**SHORELAND PBN**

\*\*\*\*\*

**2012-00497**

**ROBART, SCOTT**

**ANDOVER**